

Date Version : 15/02/2019 : 2

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	:
REACH Registration number	:
Product code	: Not available.
Product description	: Not available.
Product type	: Solid.
Other means of identification	:

1.2 Relevant identified uses of the substance or mixture and uses advised against **Identified uses** : Wiping and cleaning various surfaces and components.

1.3 Details of the supplier of the safety data sheet

п			•	
ш	nr	10	hu	-0
п	ш.	ve		ш
ш		U٦		Б
	UL	IU		υ

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Supplier's details

e-mail address of person	1
responsible for this SDS	

1.4 Emergency telephone number National advisory body/Poison Centre

Telephone number :

Emergency telephone	: CHEMTREC, U.S. :+1-800-424-9300
number (with hours of	International: +1-703-741-5970
operation)	24/7

÷

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Flam. Sol. 1, H228 Eye Irrit. 2, H319 STOT SE 3, H336

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms :

Signal word: DangerHazard statements: H228 - Flammable solid.
H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.

Precautionary statements

Berkshire

SECTION 2: Hazards identification

Prevention	 P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignitio sources. No smoking. 	n
Response	P304 + P340 + P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwe	ell.
Storage	P405 - Store locked up.	
Disposal	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.	
Hazardous ingredients	Isopropyl alcohol	
Supplemental label elements	Not applicable.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.	
Special packaging requirem	<u>s</u>	
Containers to be fitted with child-resistant fastenings	Not applicable.	
Tactile warning of danger	Not applicable.	

2.3 Other hazards

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture				
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
Isopropyl alcohol	REACH #: 01-2119457558-25 EC: 200-661-7 CAS: 67-63-0 Index: 603-117-00-0	70	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.



SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Get medical attention.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health	n effects
Eye contact	: Causes serious eye irritation.
Inhalation	: Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: Can cause central nervous system (CNS) depression.
Over-exposure signs	/symptoms
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
4.3 Indication of any in	nmediate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

Berkshire

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	Use dry chemical, CO ₂ , water spray (fog) or foam.	
Unsuitable extinguishing media	Do not use water jet or water-based fire extinguishers.	
5.2 Special hazards arising fr	the substance or mixture	
Hazards from the substance or mixture	Flammable solid.	
Hazardous combustion products	Decomposition products may include the following materials: carbon dioxide carbon monoxide	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.	if
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection fo chemical incidents.	r

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	teo	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	co	ntainment and cleaning up
Spill	:	Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.



SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific	: Not available.
solutions	

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient nam	Exposure limit values
Isopropyl alcohol	NAOSH (Ireland, 3/2016). Absorbed through skin. OELV-8hr: 200 ppm 8 hours. OELV-15min: 400 ppm 15 minutes.
procedures atr of pro the lim atr of (W for	oduct contains ingredients with exposure limits, personal, workplace ere or biological monitoring may be required to determine the effectiveness intilation or other control measures and/or the necessity to use respiratory e equipment. Reference should be made to monitoring standards, such as wing: European Standard EN 689 (Workplace atmospheres - Guidance for ssment of exposure by inhalation to chemical agents for comparison with thes and measurement strategy) European Standard EN 14042 (Workplace eres - Guide for the application and use of procedures for the assessment ure to chemical and biological agents) European Standard EN 482 ace atmospheres - General requirements for the performance of procedures neasurement of chemical agents) Reference to national guidance hts for methods for the determination of hazardous substances will also be
DNELs/DMELs	

No DNELs/DMELs available.

Berkshire

SECTION 8: Exposure controls/personal protection

PNECs

No PNECs available

8.2 Exposure controls		
Appropriate engineering controls	:	Use only with adequate ventilation. If user operations generate vapour, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection measured	<u>ures</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Recommended: Safety glasses.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Recommended: Vapour respirator.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Solid containing liquid (prewetted wiper)]
Colour	: White substrate with colourless liquid.
Odour	: Rubbing alcohol.
Odour threshold	: Not available.
рН	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	: Not available.
Flash point	: Closed cup: 20°C
Evaporation rate	: Not available.

Berkshire

SECTION 9: Physical and chemical properties

Flammability (solid, gas)	ighly flammable in the presence of the following materials or condi	tions: open
	ames, sparks and static discharge and shocks and mechanical imp	oacts.
Upper/lower flammability or	ower: 2%	
explosive limits	pper: 12.7%	
Vapour pressure	ot available.	
Vapour density	ot available.	
Relative density	ot available.	
Solubility(ies)	soluble in the following materials: cold water and hot water.	
Partition coefficient: n-octanol/ water	ot available.	
Auto-ignition temperature	99°C	
Decomposition temperature	ot available.	
Viscosity	ot available.	
Explosive properties	ot available.	
Oxidising properties	ot available.	

SECTION 10: Stability and reactivity

10.1 Reactivity	No specific test data related to reactivity available for this product or its ingr	redients.
10.2 Chemical stability	The product is stable.	
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not o	ccur.
10.4 Conditions to avoid	Avoid all possible sources of ignition (spark or flame).	
10.5 Incompatible materials	Highly reactive or incompatible with the following materials: oxidising mater	ials.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition pro- should not be produced.	ducts

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Isopropyl alcohol	LD50 Dermal LD50 Oral	Rabbit Rat	12800 mg/kg 5000 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Isopropyl alcohol	Eyes - Moderate irritant Eyes - Moderate irritant Eyes - Severe irritant Skin - Mild irritant	Rabbit Rabbit Rabbit Rabbit	- - -	24 hours 100 mg 10 mg 100 mg 500 mg	-

Sensitisation

Berkshire

	logical information		
There is no data available.			
<u>Mutagenicity</u>			
There is no data available.			
Carcinogenicity			
There is no data available.			
Reproductive toxicity			
There is no data available.			
Teratogenicity			
There is no data available.			
Specific target organ toxicit	ty (single exposure)		
	redient name	Category	Target organs
Isopropyl alcohol		Category 3	Narcotic effects
Specific target organ toxicit	ty (repeated exposure)		
There is no data available.			
Aspiration hazard			
There is no data available.			
Information on likely routes of exposure	: Dermal contact. Eye conta	act. Inhalation. Ing	estion.
Potential acute health effects	<u>S</u>		
Eye contact	- : Causes serious eye irritati	on	
· ·	5		
Inhalation	: Can cause central nervous dizziness.		epression. May cause drowsiness or
Inhalation Skin contact	dizziness.	s system (CNS) de	
		s system (CNS) de	ds.
Skin contact Ingestion	dizziness. No known significant effect Can cause central nervous	s system (CNS) de ets or critical hazar s system (CNS) de	ds. epression.
Skin contact Ingestion <u>Symptoms related to the phy</u>	dizziness. No known significant effect Can cause central nervous /sical, chemical and toxicolo	s system (CNS) de cts or critical hazar s system (CNS) de gical characteris	ds. epression. tics
Skin contact	dizziness. No known significant effect Can cause central nervous	s system (CNS) de cts or critical hazar s system (CNS) de gical characteris	ds. epression. tics
Skin contact Ingestion <u>Symptoms related to the phy</u>	 dizziness. No known significant effect Can cause central nervous vsical, chemical and toxicolo Adverse symptoms may in pain or irritation watering 	s system (CNS) de ets or critical hazar s system (CNS) de <u>gical characteris</u> nclude the following	ds. epression. <u>tics</u> g:
Skin contact Ingestion <u>Symptoms related to the phy</u> Eye contact	 dizziness. No known significant effect Can cause central nervous zical, chemical and toxicolo Adverse symptoms may in pain or irritation watering redness Adverse symptoms may ir nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness 	s system (CNS) de ts or critical hazar s system (CNS) de gical characteris nclude the following nclude the following	ds. epression. tics g:
Skin contact Ingestion <u>Symptoms related to the phy</u> Eye contact Inhalation	 dizziness. No known significant effect Can cause central nervous (sical, chemical and toxicolo) Adverse symptoms may in pain or irritation watering redness Adverse symptoms may ir nausea or vomiting headache drowsiness/fatigue dizziness/vertigo 	s system (CNS) de ts or critical hazar s system (CNS) de gical characteris nclude the following nclude the following nclude the following	ds. epression. tics g: g:
Skin contact Ingestion Symptoms related to the phy Eye contact Inhalation Skin contact Ingestion	 dizziness. No known significant effect Can cause central nervous /sical, chemical and toxicolo Adverse symptoms may in pain or irritation watering redness Adverse symptoms may in nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness No known significant effect 	s system (CNS) de ts or critical hazar s system (CNS) de <u>gical characteris</u> include the following include the following the following the following include the following	ds. g: g: ds. ds.
Skin contact Ingestion Symptoms related to the phy Eye contact Inhalation Skin contact Ingestion Delayed and immediate effect	 dizziness. No known significant effect Can cause central nervous zical, chemical and toxicolo Adverse symptoms may in pain or irritation watering redness Adverse symptoms may in nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness No known significant effect 	s system (CNS) de ts or critical hazar s system (CNS) de <u>gical characteris</u> include the following include the following the following the following include the following	ds. g: g: ds. ds.
Skin contact Ingestion Symptoms related to the phy Eye contact Inhalation Skin contact Ingestion	 dizziness. No known significant effect Can cause central nervous /sical, chemical and toxicolo Adverse symptoms may in pain or irritation watering redness Adverse symptoms may in nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness No known significant effect 	s system (CNS) de ts or critical hazar s system (CNS) de gical characteris include the following include the following ts or critical hazar ts or critical hazar	ds. g: ds. ds. ds. ong-term exposure

Berkshire

SECTION 11: Toxicological information

<u>Long term exposure</u>	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health effe	<u>cts</u>
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Isopropyl alcohol	Acute LC50 1400000 µg/L Marine water	Crustaceans - Crangon crangon	48 hours 48 hours 96 hours

12.2 Persistence and degradability

There is no data available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Isopropyl alcohol	0.05	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K _{oc})	1	No data available.
Mobility	:	Not available.

12.5 Results of PBT and vPvB assessment

- PBT: Not applicable.vPvB: Not applicable.
- **12.6 Other adverse effects** : No known significant effects or critical hazards.

Berkshire

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	 This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	UN3175	UN3175	UN3175	UN3175
14.2 UN proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O. S. (Isopropyl alcohol)			
14.3 Transport hazard class(es)	4.1	4.1	4.1	4.1
14.4 Packing group	II	II	11	II
14.5 Environmental hazards	No.	No.	No.	No.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident.



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate
	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification	
Eye Irrit. 2, H319	Expert judgment Calculation method Calculation method	

Full text of abbreviated H statements

H225	Highly flammable liquid and vapour.
H228	Flammable solid.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Full text of classifications [CLP/GHS]

Berkshire

SECTION 16: Other information

Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Flam. Liq. 2, H225	FLAMMABLE LIQUIDS - Category 2
Flam. Sol. 1, H228	FLAMMABLE SOLIDS - Category 1
STOT SE 3, H336	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE
	(Narcotic effects) - Category 3

History

: 15/02/2019
: 30/04/2017
: 2
: KMK Regulatory Services Inc.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

