

Product Information ISO Class 3 – 5 Cleanroom Class 1 – 100 EU Grade B/C/D

# SatPax<sup>®</sup> MicroSeal<sup>®</sup>-VP

Pre-wetted Sealed Edge Cleanroom Laundered 100% Polyester Knit wiper

SatPax<sup>®</sup> MicroSeal<sup>®</sup>-VP is an ultrasonically sealed edge cleanroom laundered wiper recommended for ISO Class 3 and above environments composed of 100% continuous filament polyester knit fabric. The wiper is pre-wetted with a consistent concentration of IPA and DI water and a 100% IPA option. This combination of properties provides SatPax<sup>®</sup> Mi-croSeal<sup>®</sup>-VP with the highest cleanliness, abrasion resistance, and chemical compatibility required for cleaning critical environments. The Pre-wetted format offers a cost-effective and easy-to-use solution versus traditional bulk handling of solvents and maintenance of squirt bottles.



#### **Key Attributes**

- 100% continuous filament polyester knit
- Ultrasonically sealed edge for reduced fiber contamination
- Laundered and packaged in Berkshire's ISO Class 4 cleanroom with Lot Number on each pack
- Pre-wetted with consistent IPA / DI Water concentrations and saturation levels
- 100% CMOS options available
- Zipper pouch, optional add-on 1-gallon bucket with lid

#### Benefits

- Critically low particles, fibers, ions and extractables
- High abrasion resistance
- High Absorbency
- Increases cleaning protocol consistency
- Light weight, high absorbency material design reduces actual cost in use compared to heavier weight products

#### Environmental

Registered under REACH

#### Applications

- Designed for use in ISO Class 3 and higher cleanroom environments
- Designed for cleaning sterile surfaces and equipment during aseptic processing and USP <797> applications
- · Excellent for cleaning sterile laminar air flow units, barrier isolators and bio-containment units
- Ideal for glove wipe downs during gowning procedures
- Cleaning of manufacturing equipment for semiconductor and microelectronics

## www.berkshire.com

Contact: Tel 1 800 242 7000 / 1 413 528 2602 info@berkshire.com

| America | Tel 1 413 528 2602   | info@berkshire.com         |
|---------|----------------------|----------------------------|
| Europe  | Tel + 44 1953 562800 | enquiries@berkshire.uk.com |
| SE Asia | Tel 65 6252 4313     | enquiries@berkshire.com.sg |
| Japan   | Tel 81 3 4530 9883   | master@berkshire.co.jp     |



### Technical Data (In Dry State):

| Attribute            |                  | Units                             | Value  | Test Method                                  |
|----------------------|------------------|-----------------------------------|--------|--|
| Basis Weight         |                  | g/m <sup>2</sup>                  | 130    | TAPPI T-410                                  |
| Caliper              |                  | μm                                | 442    | TAPPI T-411                                  |
| Fibers               | ≥100µm           | fibers/cm <sup>2</sup>            | 0.12   | IEST-RP-CC004.4 Sec 7.1.3/Sec 7.2.2 modified |
| Particles            | ≥ <b>0.5</b> µm  | x10 <sup>3</sup> /cm <sup>2</sup> | 0.31   | IEST-RP-CC004.4 Sec 7.1.3/Sec 7.2.1 modified |
| Sorbency             | Capacity         | mL/m²                             | 448    | IEST-RP-CC004.4 Sec 9.1 / Sec 9.2 modified   |
|                      | Efficiency       | mL/g                              | 3.4    |  |
|                      | Rate             | seconds                           | 1      |  |
| Non-Volatile Residue | DI Water         | g/m²                              | 0.0019 | IEST-RP-CC004.4 Sec 8.1.2                    |
|                      | IPA              | g/m <sup>2</sup>                  | 0.0054 |  |
| Ions                 | Na <sup>+</sup>  | ppm                               | 0.17   | IEST-RP-CC004.4 Sec 8.2.2                    |
|                      | K+               | ppm                               | 0.024  |  |
|                      | Ca++             | ppm                               | 0.053  |  |
|                      | Mg <sup>++</sup> | ppm                               | 0.011  |  |
|                      | CI-              | ppm                               | 0.032  |  |

#### Notes:

- Technical data represented in this table are typical value at the time of publication. These should not be used as product specifications.
- Due to differences in test methods applied and equipment utilized by different wiper manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions
- Third party testing can be performed upon request

#### **Order Information :**

| Product  | Number       | Size               | Shts/pk | Pks/cs | IPA/DI | Saturation | VOC% by Weight | Style        |
|--|--------------|--------------------|---------|--------|--------|------------|----------------|--------------|
| SatPax <sup>®</sup> MSVP                       | SPXMSVP0068  | 6"x9" (15cmx23cm)  | 180     | 8      | 6/94   | 45%        | 3.1%           | Zipper Pouch |
| SatPax <sup>®</sup> MSVP                       | SPXMSVP0028  | 9"x9" (23cmx23cm)  | 100     | 8      | 100    | 45%        | 54%            | Zipper Pouch |
| SatPax <sup>®</sup> MSVP                       | SPXVP00112   | 9"x9" (23cmx23cm)  | 30      | 12     | 70/30  | 33%        | 28%            | J-Fold       |
| SatPax <sup>®</sup> MSVP                       | SPXVPR00112  | 9"x 9" (23cmx23cm) | 30      | 12     | 70/30  | 60%        | 38%            | J-Fold       |
| SatPax <sup>®</sup> MSVP                       | SPXVP.003.6R | 9"x 9" (23cmx23cm) | 150     | 6      | 70/30  | 60%        | 43.7%          | Zipper Pouch |
| SatPax <sup>®</sup> MSVP (Bucket w/Lid-(empty) | SPXTUB3      | 1 Gallon/4 Liter   | N/A     | 3      | N/A    | N/A        | N/A            | N/A          |

## **Other Berkshire Products**





**Documentation Systems** 

Swabs

## www.berkshire.com

Contact: Tel 1 800 242 7000 / 1 413 528 2602 / info@berkshire.com BC\_3086\_07-2024